

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FIL	ING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/788,966	02	2/25/2004	Leonard Pinchuk	BSI-430US10	BSI-430US10 8808	
23122	7590	11/17/2005		EXAMINER		
RATNERPRESTIA P O BOX 980				PELLEGRIN	PELLEGRINO, BRIAN E	
VALLEY FORGE, PA 19482-0980				ART UNIT	PAPER NUMBER	
	,			3738		

DATE MAILED: 11/17/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/788,966	PINCHUK ET AL.					
Office Action Summary	Examiner	Art Unit					
	Brian E. Pellegrino	3738					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	••				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. lely filed the mailing date of this communica (35 U.S.C. § 133).	·				
Status							
1)⊠ Responsive to communication(s) filed on <u>25 Fe</u> 2a)□ This action is FINAL . 2b)⊠ This	ebruary 2004. action is non-final.						
3) Since this application is in condition for allowant closed in accordance with the practice under E	•		s is				
Disposition of Claims							
4)⊠ Claim(s) <u>31-39</u> is/are pending in the application),						
4a) Of the above claim(s) is/are withdraw							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>31-39</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9)⊠ The specification is objected to by the Examine	ſ.						
10)⊠ The drawing(s) filed on <u>25 February 2004</u> is/are: a) accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152	2.				
Priority under 35 U.S.C. § 119		•					
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).					
, –							
Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau	•	3					
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	te					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 2/25,7/19,8/9/04.	6) Other:	atent Application (PTO-152)					

DETAILED ACTION

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the indents forming a triple lumen portion or indents forming a quadruple lumen portion must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

In addition to Replacement Sheets containing the corrected drawing figure(s), applicant is required to submit a marked-up copy of each Replacement Sheet including annotations indicating the changes made to the previous version. The marked-up copy must be clearly labeled as "Annotated Sheets" and must be presented in the amendment or remarks section that explains the change(s) to the drawings. See 37 CFR 1.121(d)(1). Failure to timely submit the proposed drawing and marked-up copy will result in the abandonment of the application.

Specification

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: *crimping* at least one longitudinal portion of said tubular support component was not found in the written disclosure.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 31-35 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The

specification does not support the method of **crimping**. In col. 19, lines 44-46, the disclosure describes the method of making the tubular component by **pinching**. There is no support for the use of the term "crimping" because Webster's dictionary defines crimping as: to cause to become wavy, crinkled, bent or warped. The term pinching does not mean this. The Examiner understands crimping as to permanently deform something as opposed to pinching, which usually does not result in deformation.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 31-35 are rejected under 35 U.S.C. 102(e) as being anticipated by Lunn (5476506). Fig. 2 shows a tubular component that has at least one longitudinal disposed indent **24** formed by crimping, col. 3, lines 11-13, col. 5, lines 2-5,13-15. The examiner is interpreting the claimed elements "multiple lumen portions" in this way: within the creases or folds of each crimp is a lumen portion. It can be seen that there are clearly multiple lumen portions. Note the claims do not recite separate or individual lumens, but just "portions". Claims in a pending application should be given their broadest reasonable interpretation. *In*

Application/Control Number: 10/788,966

Art Unit: 3738

re Pearson, 181 USPQ 641 (CCPA 1974). See also In re Morris, Fed. Cir. 1997 127 F3d 1048, 1054,1055.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claim 31 is rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 36 of U.S. Patent No. 5632772. Although the conflicting claims are not identical, they are not patentably distinct from each other because this application's claims are merely broader than the claims of 5632772. See *In re Goodman*.

Claims 36-39 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1,2,5 of U.S. Patent No. 6554858. Although the conflicting claims are not identical, they are not

patentably distinct from each other because this application's claims are so close in content that they both cover the same thing, despite a slight difference in wording than the claims of 6554858. Regarding claim 38, self-expanding stents are well known in the art.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Herweck et al. (5197976) disclose a multi-lumen graft component.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian E. Pellegrino whose telephone number is 571-272-4756. The examiner can normally be reached on Monday-Thursday from 7am to 4:30pm. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TC 3700, AU 3738

BRIAN E. PELLEGRINO PRIMARY EXAMINER

Bran & Pellepris